# VEGA X1

VEGA X1

## HIGH SPEED INDUSTRIAL DIGITAL TEXTILE PRINTER

24–hour printing
Daily output: 3000 – 5000m
Vivid color
Exquisite sharpness gives perfect clarity
Suitable for all fabric types

Linear motor rail beam
World's leading brand components

Degassing system reduces print head clogging
Higher ink concentration more economical
Intelligent output and ink consumption management

An achievement from the experience of serving 2000 users since 1992.

## High Quality

Accuracy
Better Saturation
Higher colour vividness
No limitation to patterns

## Since 1992

Atexco is the world's leading solution provider of high quality digital textile printer and inks.
Atexco's mission is to help the conventional printing industry to do the up–gradation and transformation

## Brand Trust

2000+ users globally
Nearly 30 years experience in developing inkjet printing technology

# VEGA X1 Specification

| Model | VEGA X1 | |
|---|---|---|
| Max.Printing Width | 1800mm | |
| Colors | 4/6/8 colors | |
| Printing Speed (Variable printing modes available for different patterns and fabrics) | Production | 310lm/h |
| | Nomal | 160lm/h |
| | Quality | 120lm/h |
| Print Head and Ink — Model | Industrial Dod Piezo Print Head | |
| Print Head and Ink — Quantity | Max. 16 pieces | |
| Print Head and Ink — Ink Type | Reactive, Acid, Sublimation, Disperse | |
| Print Head and Ink — Colors | C, M, Y, K, O, B, MB, Gr, MF, YF, etc | |
| Take Up and Drying — Ink Colors | Automatic Take–up System, Infrared Dryer with blanket | |
| Main Configuration | High speed fibre–optical data transmission High accuracy full closed–loop stepper Intelligent printhead cleaning system Intelligent dual printhead protection Automatic tension synchronous unwinding Humanized operation | |
| Work Station | Windows 10 64bit CPU: Intel Core i7 10700 HD: 1T RAM: 32GB | |
| RIP Software | Vegaprint, Neostampa | |
| Image Format | JPEG,TIFF,BMP/RGB,CMYK | |
| Compressed Air Connection | Air Flow≥0.6m³/min, Air Pressure≥8kg | |
| Working Conditions | Room temperature 18–25℃, humidity 55%–70% | |
| Packing Size | 4560x2300x2350mm | |
| Weight | 3500kg | |

The parameters above are subject to change without notice,Aug.2021